

## DRILL PIPE PERFORMANCE CHARACTERISTICS SHEET

DRILL PIPE		
Pipe Size and Weight:	3.5" x 13.3PPf	
Pipe Grade:	<u> </u>	5.000" OD
Range:	2	
Tool Joint:	5" x 2.438" NC38	
PIPE		<b>→</b>
Dimensional Data	New	
OD (in)	3.500	
Wall thickness (in)	0.368	
Minimum wall (%)	95.0	─ <b> </b>
ID (in)	2.764	<b>─</b>
Cross sectional area pipe body (in²)	3.621	<del> </del>
Cross sectional area OD (in²)	9.621	<del>-</del>
Cross sectional area ID (in²)	6.000	<del>-</del>
Section modulus (in³)	2.572	<del> </del>
Polar section modulus (in³)	5.144	<b>─</b>
· our cooler meaning (m)	5	3"OD
Performance Data	New	
Torsional strength (ft-lbs)	33,393	<b></b>
Tensile strength (lbs)	488,825	─ <b>│</b>
80% Torsional strength (ft-lbs)	26,714	
Burst Pressure capacity (psi)	24,840	25. The state of t
Collapse capacity (psi)	25,400	m
		<u> </u>
TOOL JOINT (Minimum yield strength: 120 KSI)		2.764" ID
Dimensional Data	New	
OD (in)	5.000	
ID (in)	2.438	
Pin tong length (in)	10	
Box tong length (in)	12.5	
Connection	NC38	
Performance Data	New	<u> </u>
Torsional Strength (ft-lbs)	22,213	
Max Recommended Make-up Torque (ft-lbs)	13,328	
Min Recommended Make-up Torque (ft-lbs)	9,996	2.438" ID
Tensile strength (lbs)	708,063	
Tool joint/Drill pipe torsional ratio (New pipe)	0.67	- $        -$
		<u> </u>
		<del> </del>   10
Drill pipe assembly with NC38 tool joint	<u> </u>	<b>─</b>
Average length (ft)	31.5	<b>─</b> │
Drift size (in)	2.313	<b>→</b> \   !
		\
		1
		1

Note: Tool Joint and Pipe body values were derived as per API RP 7G and DS1 Latest edition. The above values are for refrence only. DPI LLC is not responsible or liable for any loss or damage or injury resulting from the use of above information. All data described are the users own risk & responsibility.