

DRILL PIPE PERFORMANCE CHARACTERISTICS SHEET

DRILL PIPE		
Pipe Size and Weight:	4" x 14.0 PPf	
Pipe Grade:	G	`` \
Range:	2	
Tool Joint:	5.1/4" x 2.563" NC40	\ \
		→ \
PIPE	N	_
Dimensional Data	New	─
OD (in)	4.000	2.563" ID
Wall thickness (in)	0.33	-
Minimum wall (%)	95.0	
ID (in)	3.34	
Cross sectional area pipe body (in²)	3.805	-
Cross sectional area OD (in²) Cross sectional area ID (in²)	12.566	-
	8.762 3.229	-
Section modulus (in³)	3.229 6.458	-
Polar section modulus (in³)	0.400	
Performance Data	New	- $
Torsional strength (ft-lbs)	32,603	┨
Tensile strength (lbs)	399,502	┨
80% Torsional strength (ft-lbs)	26,082	─
Burst Pressure capacity (psi)	15,159	31.52
Collapse capacity (psi)	15,896	─
Commission (poly	.5,555	-
TOOL JOINT		
Dimensional Data	New	□ 3.340" ID
OD (in)	5.250	
ID (in)	2.563	
Pin tong length (in)	9	
Box tong length (in)	12	
Connection	NC40	_
		_
Performance Data	New	_
Torsional Strength (ft-lbs)	27,752	-
Max Recommended Make-up Torque (ft-lbs)	16,651	_
Min Recommended Make-up Torque (ft-lbs)	12,488	2.563" ID
Tensile strength (lbs)	838,257	\dashv \downarrow \downarrow
Tool joint/Drill pipe torsional ratio (New pipe)	0.85	- $ -$
		— <u> </u> /:
Duill mine accombination NO 40 (act lates		
Drill pipe assembly with NC40 tool joint	04.5	$oldsymbol{}$
Average length (ft)	31.5	─ │
Drift size (in)	2.438	
Note: Internal Plastic Coating: JSU3		\
Hard banding: Duraband / Arnco 100XT		<u> </u>

Note: Tool Joint and Pipe body values were derived as per API RP 7G and DS1 Latest edition. The above values are for refrence only. DPI LLC is not responsible or liable for any loss or damage or injury resulting from the use of above information. All data described are the users own risk & responsibility.