

DRILL PIPE PERFORMANCE CHARACTERISTICS SHEET

DRILL PIPE				
Pipe Size and Weight:	5-1/2" x 21.9 PPf	<u></u>	┌┌┼	
Pipe Grade:	S S			
Range:	2	-	\ !	
Tool Joint:	7.00" x 4.0" 5-1/2FH	-		
1001 301111.	7.00 X 4.0 3-1/2111	_		/
IPE		- 	1 4	
imensional Data	New		1/:	\setminus
OD (in)	5.500		1/:	
Wall thickness (in)	0.361	7		
Minimum wall (%)	95.0			
ID (in)	4.778	7		
Cross sectional area pipe body (in²)	5.828	7		
Cross sectional area OD (in²)	23.758	7		
Cross sectional area ID (in²)	17.930	7	- 11 i	
Section modulus (in³)	7.031	7	j	
Polar section modulus (in³)	14.062	7		
		7		
Performance Data	New	7		
Torsional strength (ft-lbs)	91,278	7		
Tensile strength (lbs)	786,809		j	
80% Torsional strength (ft-lbs)	73,023	_		
Burst Pressure capacity (psi)	15,507	31.5		
Collapse capacity (psi)	12,674			
		<u> </u>		
OOL JOINT				
Dimensional Data	New	_	 < 	
OD (in)	7.000	_		
ID (in)	4.000	_	j	
Pin tong length (in)	10	_		
Box tong length (in)	12	-		
Connection	5-1/2FH	_		
Performance Data	New	-		
Torsional Strength (ft-lbs)	55,933	- 		
Max Recommended Make-up Torque (ft-lbs)	33,560	- 		
Min Recommended Make-up Torque (ft-lbs)	25,170	- 		
Tensile strength (lbs)	1,265,802	- 	[]	
Tool joint/Drill pipe torsional ratio (New pipe)	0.61	\dashv \mid \mid	_ /	/
, pipo)		-1 7	↑ ¦	/
		-		
Orill pipe assembly with 5-1/2FH tool joint				
Average length (ft)	31.5	<u> </u>	<u>V </u>	
Drift size (in)	3.875	7	\ 	
Hardbanding: Duraband on box			\	
nternal Plastic coating: JSU3			بلا	_/
			İ	

Note: Tool Joint and Pipe body values were derived as per API RP 7G and DS1 Latest edition. The above values are for refrence only. DPI LLC is not responsible or liable for any loss or damage or injury resulting from the use of above information.